

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	67397	(pattern or object) near2 (recogniz\$6 or match\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 10:01
L2	11009	(Fourier or fourior or sine or cosine) with series	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 15:07
L3	372	1 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 10:02
L4	33	1 same 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 10:02
L5	6037	(Fourier or fourior or sine or cosine) near3 series	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 11:35
L6	194	1 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 14:00
L7	8978426	@ad>"19971224" not (continuation or provision\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 11:36
L8	162	6 not 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 13:20

L9	32	6 not 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 11:54
L18	14	1 same 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 14:00
L19	4445	(Fourier or fourior or sine or cosine) adj2 series	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 15:08
L20	1242	(Fourier or fourior or sine or cosine) adj2 space	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 15:08
L21	6041	frequency adj2 space	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 15:23
L22	48	(coded or encoded or encrypted or embedded) near4 (19 or 20 or 21)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 15:25
L23	147	(coded or encoded or encrypted or embedded) with (19 or 20 or 21)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 15:25
L24	473595	associative or association	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 15:25

L25	16	23 and 24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 15:25
L26	10	23 and 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 15:36



Search Session History

Fri, 9 Dec 2005, 4:18:01 PM EST

Edit an existing query or  
compose a new query in the  
Search Query Display.

Search Query Display

Select a search number (#)  
to:


- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

Results

<u>#1</u>	<code>(((((pattern &lt;or&gt; object) &lt;phrase&gt; (match* &lt;or&gt; recogni*) &lt;paragraph&gt; (fourier &lt;phrase&gt; (space or series))) &lt;in&gt;metadata)) &lt;and&gt; (pyr &gt;= 1951 &lt;and&gt; pyr &lt;= 1997)</code>	11
<u>#2</u>	<code>(((((pattern &lt;or&gt; object) &lt;phrase&gt; (match* &lt;or&gt; recogni*) &lt;paragraph&gt; (associative &lt;or&gt; association)) &lt;in&gt;metadata)) &lt;and&gt; (pyr &gt;= 1951 &lt;and&gt; pyr &lt;= 1997)</code>	280
<u>#3</u>	<code>(((((pattern &lt;or&gt; object) &lt;phrase&gt; (match* &lt;or&gt; recogni*) &lt;paragraph&gt; (associative &lt;or&gt; association) &lt;and&gt; (fourier &lt;or&gt; fourier)) &lt;in&gt;metadata)) &lt;and&gt; (pyr &gt;= 1951 &lt;and&gt; pyr &lt;= 1997)</code>	0
<u>#4</u>	<code>(((((pattern &lt;or&gt; object) &lt;phrase&gt; (match* &lt;or&gt; recogni*) &lt;and&gt; (associative &lt;or&gt; association) &lt;and&gt; (fourier &lt;or&gt; fourier)) &lt;in&gt;metadata)) &lt;and&gt; (pyr &gt;= 1951 &lt;and&gt; pyr &lt;= 1997)</code>	3
<u>#5</u>	<code>(((((pattern &lt;or&gt; object) &lt;phrase&gt; (match* &lt;or&gt; recogni*) &lt;and&gt; (associative &lt;or&gt; association) &lt;and&gt; (fourier &lt;or&gt; fourier)) &lt;in&gt;metadata)) &lt;and&gt; (pyr &gt;= 1951 &lt;and&gt; pyr &lt;= 1997)</code>	3
<u>#6</u>	<code>(((((pattern &lt;or&gt; object) &lt;phrase&gt; (match* &lt;or&gt; recogni*) &lt;and&gt; (associative &lt;or&gt; association) &lt;and&gt; (fourier &lt;or&gt; fourier)) &lt;in&gt;metadata)) &lt;and&gt; (pyr &gt;= 1951 &lt;and&gt; pyr &lt;= 1997)</code>	3
<u>#7</u>	<code>(((((pattern &lt;or&gt; object) &lt;phrase&gt; (match* &lt;or&gt; recogni*) &lt;and&gt; (associative &lt;or&gt; association) &lt;and&gt; (fourier &lt;or&gt; fourier)) &lt;in&gt;metadata)) &lt;and&gt; (pyr &gt;= 1951 &lt;and&gt; pyr &lt;= 1997)</code>	3
<u>#8</u>	<code>(((((pattern &lt;or&gt; object) &lt;phrase&gt; (match* &lt;or&gt; recogni*) &lt;phrase&gt; (associative &lt;or&gt; association) &lt;in&gt;metadata)) &lt;and&gt;</code>	0

	(pyr >= 1951 <and> pyr <= 1997)	
<a href="#">#9</a>	<pre>(((((pattern &lt;or&gt; object) &lt;phrase&gt; (match* &lt;or&gt; recogni*)) &lt;and&gt; (associative &lt;or&gt; association) )&lt;in&gt;metadata)) &lt;and&gt; (pyr &gt;= 1951 &lt;and&gt; pyr &lt;= 1997)</pre>	287
<a href="#">#10</a>	<pre>(((((pattern &lt;or&gt; object) &lt;phrase&gt; (match* &lt;or&gt; recogni*)) &lt;and&gt; (associative &lt;or&gt; association) &lt;and&gt; frequency &lt;phrase&gt; space)&lt;in&gt;metadata)) &lt;and&gt; (pyr &gt;= 1951 &lt;and&gt; pyr &lt;= 1997)</pre>	0
<a href="#">#11</a>	<pre>(((((pattern &lt;or&gt; object) &lt;phrase&gt; (match* &lt;or&gt; recogni*)) &lt;and&gt; (associative &lt;or&gt; association) &lt;and&gt; frequency &lt;phrase&gt; space)&lt;in&gt;metadata)) &lt;and&gt; (pyr &gt;= 1951 &lt;and&gt; pyr &lt;= 1997)</pre>	0





Welcome United States Patent and Trademark Office

[Search Session History](#)
[BROWSE](#)
[SEARCH](#)
[IEEE XPLORE GUIDE](#)

Fri, 9 Dec 2005, 4:59:06 PM EST

## Search Query Display



## Recent Search Queries

Edit an existing query or  
compose a new query in the  
Search Query Display.

Select a search number (#)  
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

- |            |   |
|------------|---|
| <u>#1</u>  | (((pattern <or> object) <phrase> (match* <or> recogni*))<br><paragraph> (fourier <phrase> (space or series)))<br><in>metadata)) <and> (pyr >= 1951 <and> pyr <= 1997)                       |
| <u>#2</u>  | (((pattern <or> object) <phrase> (match* <or> recogni*))<br><paragraph> (associative <or> association))<in>metadata))<br><and> (pyr >= 1951 <and> pyr <= 1997)                              |
| <u>#3</u>  | (((pattern <or> object) <phrase> (match* <or> recogni*))<br><paragraph> (associative <or> association) <and> (fourior <or><br>fourier))<in>metadata)) <and> (pyr >= 1951 <and> pyr <= 1997) |
| <u>#4</u>  | (((pattern <or> object) <phrase> (match* <or> recogni*))<br><and> (associative <or> association) <and> (fourior <or><br>fourier))<in>metadata)) <and> (pyr >= 1951 <and> pyr <= 1997)       |
| <u>#5</u>  | (((pattern <or> object) <phrase> (match* <or> recogni*))<br><and> (associative <or> association) <and> (fourior <or><br>fourier))<in>metadata)) <and> (pyr >= 1951 <and> pyr <= 1997)       |
| <u>#6</u>  | (((pattern <or> object) <phrase> (match* <or> recogni*))<br><and> (associative <or> association) <and> (fourior <or><br>fourier))<in>metadata)) <and> (pyr >= 1951 <and> pyr <= 1997)       |
| <u>#7</u>  | (((pattern <or> object) <phrase> (match* <or> recogni*))<br><and> (associative <or> association) <and> (fourior <or><br>fourier))<in>metadata)) <and> (pyr >= 1951 <and> pyr <= 1997)       |
| <u>#8</u>  | (((pattern <or> object) <phrase> (match* <or> recogni*))<br><phrase> (associative <or> association) )<in>metadata)) <and><br>(pyr >= 1951 <and> pyr <= 1997)                                |
| <u>#9</u>  | (((pattern <or> object) <phrase> (match* <or> recogni*))<br><and> (associative <or> association) )<in>metadata)) <and><br>(pyr >= 1951 <and> pyr <= 1997)                                   |
| <u>#10</u> | (((pattern <or> object) <phrase> (match* <or> recogni*))<br><and> (associative <or> association) <and> frequency<br><phrase> space)<in>metadata)) <and> (pyr >= 1951 <and> pyr<br><= 1997)  |
| <u>#11</u> | (((pattern <or> object) <phrase> (match* <or> recogni*))<br><and> (associative <or> association) <and> frequency<br><phrase> space)<in>metadata)) <and> (pyr >= 1951 <and> pyr<br><= 1997)  |

- [illegible]

[illegible]



<and> (pyr >= 1951 <and> pyr <= 1997)

#41 (((((pattern <or> object) <phrase> (match\* <or> recogni\*))  
<and> (fourier <or> fourior) <phrase> series)<in>metadata))  
<and> (pyr >= 1951 <and> pyr <= 1997)

#42 (((((pattern <or> object) <phrase> (match\* <or> recogni\*))  
<and> (fourier <or> fourior) <phrase> series)<in>metadata))  
<and> (pyr >= 1951 <and> pyr <= 1997)

#43 (((((pattern <or> object) <phrase> (match\* <or> recogni\*))  
<and> (fourier <or> fourior) <phrase> series)<in>metadata))  
<and> (pyr >= 1951 <and> pyr <= 1997)

#44 (((((association <or> associative) <and> (fourier <or> fourior)  
<phrase> series)<in>metadata)) <and> (pyr >= 1951 <and> pyr  
<= 1997)

#45 (((((association <or> associative) <and> (fourier <or> fourior)  
<phrase> series)<in>metadata)) <and> (pyr >= 1951 <and> pyr  
<= 1997)



indexed by  
**inspec**

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2005 IEEE -